acc. to Safe Work Australia - Code of Practice

#### Potassium chromate ≥99 %, p.a., ACS

article number: **HN33** Version: **GHS 4.1 en** 

Replaces version of: 2024-09-19

Version: (GHS 4)



date of compilation: 2019-04-23

Revision: 2024-10-09

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Potassium chromate** ≥99 %, p.a., ACS

Article number HN33

CAS number 7789-00-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1B	Carc. 1B	H350i

Australia (en) Page 1 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

#### 2.2 **Label elements**

## Labelling

Signal word **Danger** 

**Pictograms** 

**GHS07, GHS08** 





#### **Hazard statements**

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H340	May cause genetic defects
H350i	May cause cancer by inhalation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

Avoid breathing dust/fume/gas/mist/vapours/spray P261

P280 Wear protective gloves

#### Precautionary statements - response

IF ON SKIN: Wash with plenty of soap and water P302+P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+P351+P338

> lenses, if present and easy to do. Continue rinsing Call a POISON CENTRE/doctor if you feel unwell

P312

#### Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

For professional users only

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Page 2 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



article number: HN33



## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance Potassium chromate

Molecular formula  $\rm K_2CrO_4$  Molar mass  $\rm 194.2~^g/_{mol}$  CAS No  $\rm 7789\text{-}00\text{-}6$ 

Substance of Very High Concern (SVHC	Substance	of Very	<b>High Concern</b>	(SVHC
--------------------------------------	-----------	---------	---------------------	-------

Name of substance	CAS No	EC No	Listed in	Remarks
Potassium chromate	7789-00-6	232-140-5	Annex XIV	Carc. 1B Muta. 1B

Legend

Annex XIV List of substances subject to authorisation

Carc. 1B Carcinogenic (category 1B) Muta. 1B Mutagenic (category 1B)

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33



## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33



short-term (single instance)

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage. Incompatible materials: see section 10.

#### Consideration of other advice:

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/m	STEL [mg/m	Ceil- ing-C [mg/m <sup>3</sup> ]	Nota- tion	Source
AU	chromium(VI), soluble compounds	7789-00-6	WES	0.05			Cr	WES

#### **Notation**

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Calculated as Cr (chromium)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-Cr STEL

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** 

hours time-weighted average (unless otherwise specified)

#### **Environmental values**

#### **Relevant PNECs and other threshold levels** Threshold End-**Organism Environmental com-Exposure time** level point partment $0 \frac{mg}{I}$ **PNEC** aquatic organisms freshwater short-term (single instance) **PNEC** 0.21 mg/I aquatic organisms sewage treatment plant short-term (single instance) (STP) $0.15 \frac{\text{mg}}{\text{kg}}$ **PNEC** freshwater sediment aquatic organisms short-term (single instance)

#### 8.2 **Exposure controls**

**PNEC** 

## Individual protection measures (personal protective equipment)

terrestrial organisms

#### Eye/face protection



Use safety goggle with side protection.

 $0.035 \frac{mg}{kg}$ 

Page 5 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice

#### Potassium chromate ≥99 %, p.a., ACS

article number: HN33

# ROTH

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0.11 mm

#### · breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline

Colour yellow

Odour odourless

Melting point/freezing point 968.3 °C (ECHA)

Boiling point or initial boiling point and boiling 1,000 °C

range

Flammability non-combustible

Lower and upper explosion limit not relevant (solid)

Flash point not applicable

Auto-ignition temperature not determined

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33

Decomposition temperature not relevant

9 – 9.8 (in aqueous solution:  $50 \, \text{g/}_{1}$ ,  $20 \, \text{°C}$ ) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

~630 g/<sub>I</sub> at 20 °C Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

0 hPa at 20 °C Vapour pressure

Density and/or relative density

 $2.732 \, {\rm g}/{\rm cm}^{3}$  (ECHA) Density Relative vapour density not relevant (solid)

~1.800 kg/m<sup>3</sup> **Bulk density** 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes:

Other safety characteristics: There is no additional information.

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Reducing agents, Hydrazine, Powdered metals, Alkalis, Alkaline earth metal

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Page 7 / 13 Australia (en)



acc. to Safe Work Australia - Code of Practice

Potassium chromate ≥99 %, p.a., ACS

article number: HN33



## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	129.5 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/mist	LC50	99 <sup>mg</sup> / <sub>m³</sub> /4h	rat		ECHA
dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

May cause genetic defects.

#### Carcinogenicity

May cause cancer by inhalation.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

## • If in eyes

Causes serious eye irritation

#### If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

#### Other information

Renal impairment, Spasms, Abdominal pain, Nausea, Vomiting, Diarrhoea, Liver and kidney damage

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33



## SECTION 12: Ecological information

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

**H6.1** Poisonous (Acute)

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

#### 14.1 UN number

UN RTDG	UN 3288
IMDG-Code	UN 3288
ICAO-TI	UN 3288

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice

## Potassium chromate ≥99 %, p.a., ACS

article number: HN33



14.2 UN proper shipping name

UN RTDG TOXIC SOLID, INORGANIC, N.O.S. IMDG-Code TOXIC SOLID, INORGANIC, N.O.S.

ICAO-TI Toxic solid, inorganic, n.o.s.

Technical name Potassium chromate

14.3 Transport hazard class(es)

UN RTDG 6.1 IMDG-Code 6.1 ICAO-TI 6.1

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3288
Class 6.1
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 6.1

Fish and tree



**Special provisions (SP)**223, 274
UN RTDG

Excepted quantities (EQ) E1

UN RTDG

Limited quantities (LQ) 5 kg

5 kg UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TOXIC SOLID, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN3288, TOXIC SOLID, INORGANIC, N.O.S., (Po-

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

#### Potassium chromate ≥99 %, p.a., ACS

article number: HN33



tassium chromate), 6.1, III, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"

Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-A

Stowage category A

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, inorganic, n.o.s.

Particulars in the shipper's declaration UN3288, Toxic solid, inorganic, n.o.s., (Potassium

chromate), 6.1, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3, A5

E1

10 kg

## SECTION 15: Regulatory information

## **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



article number: HN33



Country	Inventory	Status
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

Page 12 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



article number: HN33



Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13